



				- 1
ITEM#	QTY	PART#	TITLE	PG
-01	1	RBE703A94-1130-01-01	IMMOBILIZING CLIP ASSY	2
-23	1	RBE703A94-1130-01-23	DEFLECTION CLIP ASSY	9
-51	1	RBE703A94-1130-01-51	PACKAGING ASSY	15
52 _	1	RB41011	DART PLACARD	- 1
53	4	McMaster#97524A032	RIVET 1/8" x 0.425" LG.	- 1





3





DART MAIN ROTOR BLADE TRIM TAB TOOLS ASSY

RBE703A94-1130-01

DESIGN BY: VM 9/11/2017 DRAWN BY: VM 11/24/2017 CHECKED: DP 11/30/2017
2. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
3. DIMENSIONAL LIMITS APPLY AFTER PLATING
SUEET 1.01 MFG. APPR: APPROVED: DATE:

.xx ± .01 WM 11/30/2017

1. DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED

.XXX ± .005 FRACTIONS ± 1/8

SCALE: NTS WEIGHT: N/A SHEET 1 OF 17 COPYRIGHT © 2017 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATIED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

6) IDENTIFICATION: ENGRAVE P/N & S/N WHERE INDICATED ON DART PLACARD (ITEM 52) BEFORE INSTALLATION ON THE PELICAN CASE (ITEM 45) 7) CENTER DART PLACARD (ITEM 52) IN AVAILABLE AREA OF THE PELICAN CASE'S LID (ITEM 45)

8) HOT GLUE TOP AND BOTTOM FOAM (ITEM -47 & -49) INTO THE PELICAN CASE (ITEM 45) AFTER DART PLACARD'S (ITEM 52) INSTALLATION

9) OEM P/N: E-703494-1130-01

5) BREAK ALL SHARP EDGES: N/A

5

1) MATERIAL: N/A

3) HEAT TREAT: N/A

2) FINISH: N/A

4) SPEC: N/A

D

3

